





1 ...uranium concentrations used in the background analyses completed for the site in 2004 have not been affected by up-gradient mining, and the background levels for uranium are considered representative of local natural conditions... (Homestake, 2015, p. 1-2; emphasis in original)











P3 P4 Q R




































Aquifer	Current GWPS ¹ (mg/L)	Proposed GWPS (mg/L)	Wells Included (time periods)	Wells excluded (see text for explanation)	Sample size	% Below Detection for Selected Data
Alluvial	0.32	0.063	P (1995-97), DD (1981-2014), ND (1983-98), 916 (1994-2005)	Q, R, P1, P2	131	9.2
Chinle Mixing Zone: Combined	0.14	0.079	See below	See below	215	30.2
Chinle Mixing: Upper	NA	0.011	CW9 (1987-2018), CW10 (1987-94), CW50 (2003-2017), CW52 (2003-2012)	CW9 (1 outlier)	68	68



Parameter	NRC (GWPS)	NMWQCC (drinking water)	New Site Standards – Alluvial Aquifer	US EPA Safe Drinking Water Act
Uranium	0.04	0.030	0.160	0.03
Selenium	0.10	0.050	0.320	0.05
Molybdenum	0.03	1.0 (irrigation)	0.1	
Vanadium	0.02	0.100 (irrigation)	0.02	
Sulfate		600	1,500	250 (SMCL)
Chloride			250	250 (SMCL)
TDS		1,000	2,734	500 (SMCL)
Nitrate (as N)		10	12	10
Th-230 (pCi/L)			0.3	
Ra-226+228 (pCi/L)		30	5	5

